



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/629,486

07/29/2003

Jan I. Ben

Ben 2-16-1-10

7452

46363 7590 08/24/2009

WALL & TONG, LLP/  
ALCATEL-LUCENT USA INC.  
595 SHREWSBURY AVENUE  
SHREWSBURY, NJ 07702

EXAMINER

SAINT CYR, LEONARD

ART UNIT

PAPER NUMBER

2626

MAIL DATE

DELIVERY MODE

08/24/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/629,486	<b>Applicant(s)</b> BEN ET AL.	
	<b>Examiner</b> LEONARD SAINT CYR	<b>Art Unit</b> 2626	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 28 May 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-19, 21-30, 32 - 37, 41 -45 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-19, 21-30, 32 - 37, 41 -45 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 July 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Response to Arguments*

1. Applicant's arguments filed 05/28/09 have been fully considered but they are not persuasive.

Applicant argues that Weare et al., do not fairly suggest at least two subsets of a media program (Amendment, page 13).

The examiner disagrees, since Weare et al., disclose “**collection of media entities, such as media entities (subsets of a media program) that are audio files, or have portions that are audio files**” (col.5, lines 15 – 22).

Applicant argues that neither Weare et al., nor McEachern, nor Logan fairly suggest grouping ones of said coefficients of said second representation to form segment; storing at least 30 minutes worth of segments; and selecting a plurality of segments (Amendment, page 14).

The examiner disagrees, since Logan discloses “the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, **contiguous sequences of feature vectors may be combined into corresponding segments that are each of 1 second duration**. Assuming the frames are 25 ms long and overlap each other by 12.5 ms, as described above, there will be approximately 80 feature vectors per segment. Obviously, **segments of sizes other than 1 second may be utilized**. By identifying those segments of the audio input

**that share similar cepstral features**, the system has been able to automatically decipher the song's structure" (col.5, lines 4 – 35, col.6, lines 53 – 56). Combining **contiguous sequences of feature vectors into corresponding segments that are each of 1 second duration** suggests storing at least 30 minutes worth of segments; and selecting a plurality of segments, since **segments of sizes other than 1 second may be utilized; and segments of the audio input that share similar cepstral features are identified.**

### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 22, 23, 35, and 36 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The invention, as described in the specification, page 7, and Figs. 1 - 6, does not show any means for grouping the coefficient of the second representation; means for searching a database for substantially matching segments; and means for determining whether said subsequent media program subset exhibits similarities to said initial media program subset.

***Claim Rejections - 35 USC § 103***

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1 – 19, 21 – 37, and 41 - 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weare et al., (US Patent 7,065,416) in view of McEachern (US Patent 5,615,302), and further in view of Logan et al., (US patent 6,633,845).

Regarding claims 1, 24, 34, Weare et al. discloses a method for program content identification (see col. 6, lines 22-27), said method comprising the steps of:

for each of at least two media program subsets, performing the steps of (col.5, lines 15 – 22):

filtering each first frequency domain representation of blocks of said media program subset using a plurality of filters to develop a respective second frequency domain representation of each of said blocks of said media said second frequency domain representation of each of said blocks having a reduced number of frequency coefficients with respect to said first frequency domain representation program (see col. 16, lines 47, fig. 7, element 750, describing a critical band filtering step which can be modeled as a filter bank, thus indicating that a plurality of filters exist).

However, Weare et al., do not specifically teach that said plurality of filters have center frequencies logarithmically spaced apart from each other with a logarithmic additive factor of 1/12; grouping frequency coefficients of said second frequency domain representation of said blocks to form segments and selecting a plurality of said segments; comparing selected segments to features of stored programs to identify

thereby said media program subset; determining whether said subsequent media program subset exhibits similarities to said initial media program subset.

McEachern teaches this 1/12 octave filter center frequency spacing results in logarithmically spaced filters that are very closely centered at the frequencies of the linearly spaces harmonics (col.12, line 66 – col.13, line 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use logarithm filters as taught by McEachern in Weare et al., because that would help extract the information content of audio signals (col.1, lines 10 – 14).

However, Weare et al., in view of McEachern do not specifically grouping frequency coefficients of said second frequency domain representation of said blocks to form segments and selecting a plurality of said segments; comparing selected segments to features of stored programs to identify thereby said media program subset; determining whether said subsequent media program subset exhibits similarities to said initial media program subset.

Logan et al., teach that the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, **contiguous sequences of feature vectors may be combined into corresponding segments that are each of 1 second duration**. The distortion between various segments of the song is measured in order to identify those segments that can be considered to the same and those that are dissimilar. By identifying those segments of the audio input that share similar cepstral

features, the system has been able to automatically decipher the song's structure (col.5, lines 4 – 35, col.6, lines 53 – 56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to group sequence of frames in segments as taught by Logan et al., in Weare et al., in view of McEachern, because that would help identify specific songs (col.2, line 5).

Regarding claim 2, Logan et al. further disclose that each grouping of frequency coefficients of said second frequency domain to form a segment represents blocks that are consecutive in time in said media program (“sequence of frames”; col.5, lines 5 – 35).

Regarding claim 3, Weare et al. in view of Logan et al., further disclose that said plurality of filters are arranged in a group that processes a block at a time, the portion of said second frequency domain representation produced by said group for each block forms a frame, and wherein at least two frames are grouped to form a segment (Weare et al., see col. 18, Logan et al. col.5, lines 5 – 35).

Regarding claim 4, Logan et al., further disclose that said selected segments correspond to portions of said media program that are not contiguous in time (col.6, lines 60 – 62).

As per claim 5, Logan et al., further disclose that said plurality of filters includes at least a set of triangular filters (col.4, lines 39 – 47).

As per claim 6, Logan et al., further disclose that said plurality of includes at least a set of log-spaced triangular filters (col.4, lines 39 – 47).

Regarding claim 7, Weare et al. further disclose that the segments selected in said selecting step are those that have largest minimum segment energy (see col. 18, lines 10-15).

Regarding claim 8, Weare et al. further disclose that the segments selected in said selecting step are selected in accordance with prescribed constraints (see col. 18, line 66 - col. 19 line 2, where only selecting peaks that last for more than specified number of frames prevents the peaks from being too close).

Regarding claim 9, Logan et al., further suggest that the segments selected in said selecting step are selected for portions of said media program that correspond in time to prescribed search windows that are separated by gaps (“assuming the frames are 25 ms long and overlap each other by 12.5ms”; col.5, lines 5 – 12).

Regarding claim 10, Weare et al. further disclose that the segments selected in said selecting step are those that result in the selected segments having a maximum



entropy over the selected segments (see col. 18, lines 12- 15, where the most energetic peaks are chosen, thus choosing the most entropic peaks).

Regarding claims 11- 13, Weare et al. further suggest that the step of normalizing said frequency coefficients in said second frequency domain representation after performing said grouping step, said normalization being performed on a per-segment basis; wherein said normalization includes performing at least a preceding-time normalization; an L2 normalization ("normalizing the sum"; see col. 16, lines 3-6).

Regarding claim 14, Weare et al. further disclose that the step of storing said selected segments in a database in association with an identifier of said media program (see col. 7, lines 59-65, where music is stored in a database and for generating play lists thus an identifier must be associated with the stored data).

Regarding claim 15, Weare et al. further disclose that the step of storing in said database information indicating timing of said selected segments (see col. 9, lines 16-21, where classifying the tempo in the database indicates timing of media segment).

Regarding claim 16, Weare et al. further disclose that said first frequency domain representation of blocks of said media program is developed by the steps of: digitizing an audio representation of said media program to be stored in said database (see col. 16, lines 41-44); dividing the digitized audio representation into blocks of a prescribed

Art Unit: 2626

number of samples (see col. 16, lines 41-44, where the audio representation is divided into frames); smoothing said blocks using a filter (see col. 16, lines 45-47); and converting said smoothed blocks into the frequency domain, wherein said smoothed blocks are represented by frequency coefficients (see col. 16, lines 39- 41).

As per claim 17, Logan et al., further disclose a hamming window filter (col.4, lines 25 -27).

Regarding claim 18, Weare et al. further disclose that each of said smoothed blocks are converted into the frequency domain in said converting step using a Fast Fourier Transform (FFT) (see col. 16, lines 39-41 and col. 23, lines 52-54).

As per claim 19, Logan et al., further disclose converting step using a discrete cosine transform (col.4, line 49).

Regarding claims 21, and 37, Weare et al. discloses identification of content identification (see col. 6, lines 22-27), comprising:

for each of at least two media program subsets, performing the steps of (col.5, lines 15 – 22):

filtering each first frequency domain representation of blocks of said media program subset using a plurality of filters to develop a respective second frequency domain representation of each of said blocks of said media said second frequency

domain representation of each of said blocks having a reduced number of frequency coefficients with respect to said first frequency domain representation program (see col. 16, lines 47, fig. 7, element 750, describing a critical band filtering step which can be modeled as a filter bank, thus indicating that a plurality of filters exist).

However, Weare et al., do not specifically teach that said plurality of filters have center frequencies logarithmically spaced apart from each other with a logarithmic additive factor of  $1/12$ ; grouping frequency coefficients of said second frequency domain representation of said blocks to form segments; storing at least 30 minutes worth of segments; and selecting a plurality of said segments.

McEachern teaches this  $1/12$  octave filter center frequency spacing results in logarithmically spaced filters that are very closely centered at the frequencies of the linearly spaced harmonics (col.12, line 66 – col.13, line 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use logarithm filters as taught by McEachern in Weare et al., because that would help extract the information content of audio signals (col.1, lines 10 – 14).

However, Weare et al., in view of McEachern do not specifically grouping frequency coefficients of said second frequency domain representation of said blocks to form segments; storing at least 30 minutes worth of segments; and selecting a plurality of said segments.

Logan et al., teach that the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, contiguous sequences of feature

vectors may be combined into corresponding segments that are each of 1 second duration. **Obviously, segments of sizes other than 1 second may be utilized.** By identifying those segments of the audio input that share similar cepstral features, the system has been able to automatically decipher the song's structure (segments of sizes other than 1 second may be utilized suggests storing at least 30 minutes worth of segments; col.5, lines 4 – 35, col.6, lines 53 – 56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to group sequence of frames in segments as taught by Logan et al., in Weare et al., in view of McEachern, because that would help identify specific songs (col.2, line 5).

As per claim 22, Weare et al., teach an apparatus for program content identification comprising:

a plurality of filters for filtering a first representation of a media program subset using frequency coefficient to develop a second representation of said media subset that has a reduced number of frequency coefficients with respect to said first representation for each of at least two media program subsets (see col. 16, lines 47, fig. 7, element 750, describing a critical band filtering step which can be modeled as a filter bank, thus indicating that a plurality of filters exist).

However, Weare et al., do not specifically teach that said plurality of filters have center frequencies logarithmically spaced apart from each other with a logarithmic additive factor of  $1/12$ ; means for grouping ones of said coefficients of said second

Art Unit: 2626

representation to form segments; means for storing at least 30 minutes worth of segments; and means for selecting a plurality of said segments.

McEachern teaches this  $1/12$  octave filter center frequency spacing results in logarithmically spaced filters that are very closely centered at the frequencies of the linearly spaced harmonics (col.12, line 66 – col.13, line 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use logarithm filters as taught by McEachern in Weare et al., because that would help extract the information content of audio signals (col.1, lines 10 – 14).

However, Weare et al., in view of McEachern do not specifically means for grouping ones of said coefficients of said second representation to form segments; means for storing at least 30 minutes worth of segments; and means for selecting a plurality of said segments.

Logan et al., teach that the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, contiguous sequences of feature vectors may be combined into corresponding segments that are each of 1 second duration. Assuming the frames are 25 ms long and overlap each other by 12.5 ms, as described above, there will be approximately 80 feature vectors per segment.

Obviously, **segments of sizes other than 1 second may be utilized**. By identifying those segments of the audio input that share similar cepstral features, the system has been able to automatically decipher the song's structure (segments of sizes other than 1

Art Unit: 2626

second may be utilized suggests storing at least 30 minutes worth of segments; col.5, lines 4 – 35, col.6, lines 53 – 56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to group sequence of frames in segments as taught by Logan et al., in Weare et al., in view of McEachern, because that would help identify specific songs (col.2, line 5).

As per claim 23, Weare et al., teach an apparatus for program content identification comprising:

filtering a first frequency domain representation of a media program subset using a plurality of filters to develop a second frequency domain representation of each of said subsets of said media program having a reduced number of frequency coefficients with in said second frequency domain representation with respect to said first frequency domain representation for each of at least two media program subsets (see col. 16, lines 47, fig. 7, element 750, describing a critical band filtering step which can be modeled as a filter bank, thus indicating that a plurality of filters exist).

However, Weare et al., do not specifically teach means for filtering, wherein said plurality of filters have center frequencies logarithmically spaced apart from each other with a logarithmic additive factor of 1/12; means for grouping ones of said coefficients of said second representation to form segments; means for storing at least 30 minutes worth of segments; and means for selecting a plurality of said segments.

McEachern teaches this 1/12 octave filter center frequency spacing results in logarithmically spaced filters that are very closely centered at the frequencies of the linearly spaced harmonics (col.12, line 66 – col.13, line 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use logarithm filters as taught by McEachern in Weare et al., because that would help extract the information content of audio signals (col.1, lines 10 – 14).

However, Weare et al., in view of McEachern do not specifically means for grouping ones of said coefficients of said second representation to form segments; means for storing at least 30 minutes worth of segments; and means for selecting a plurality of said segments.

Logan et al., teach that the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, contiguous sequences of feature vectors may be combined into corresponding segments that are each of 1 second duration. Assuming the frames are 25 ms long and overlap each other by 12.5 ms, as described above, there will be approximately 80 feature vectors per segment. Obviously, **segments of sizes other than 1 second may be utilized**. By identifying those segments of the audio input that share similar cepstral features, the system has been able to automatically decipher the song's structure (segments of sizes other than 1 second may be utilized suggests storing at least 30 minutes worth of segments; col.5, lines 4 – 35, col.6, lines 53 – 56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to group sequence of frames in segments as taught by Logan et al., in Weare et al., in view of McEachern, because that would help identify specific songs (col.2, line 5).

Regarding claim 25, Weare et al., further disclose that the step of indicating that said media program cannot be identified when substantially matching segments are not found in said database in said searching step (“media entities that have...dissimilar”; Abstract).

Regarding claim 26, Logan et al., further disclose that said data base includes information indicating timing of segments of each respective media program identified therein, and wherein a match may be found in said searching step only when the timing of said segments produced in said grouping step substantially matches the timing of said segments stored in said database (“similar cepstral features, the system has been able to automatically decipher the song's structure”; col.6, lines 53 – 56).

Regarding claim 27, Weare et al., further disclose that said matching between segments is based on the Euclidean distances between segments (col.11, lines 15 – 20).



Regarding claim 28, Weare et al., further disclose that the step of identifying said media program as being the media program indicated by the identifier stored in said database having a best matching score when substantially matching segments are found in said database in said searching step (“matching algorithm...confidence level”; col.8, lines 1 - 12).

Regarding claim 29, Weare et al., further disclose that the step of determining a speed differential between said media program and a media program identified in said identifying step (“rate of speed”; col.23, lines 1 – 5).

Regarding claims 30, 32, and 33, Logan et al., in view of McEachern, and further in view of Weare et al., do not disclose wherein said matching score for a program P.sub.i is determined by

$$P_i = \frac{1}{z} \sum_{j=1}^z f(S'_{j-1} - S_j(P_i)).$$

wherein said determining step is based on an overlap score.

However, since Weare et al., teach nearest neighbor and/or other matching algorithms may be utilized to locate songs that are similar...a confidence level for song classification may also be returned (col.8, lines 1 – 10). One having ordinary skill in the art at the time the invention was made would have found it obvious to use a matching score in Logan et al., in view of McEachern, and further in view of Weare et al., because that would help classify media entities (col.5, lines 7 – 12).

As per claim 35, Weare et al., teach an apparatus for program content identification comprising:

filtering a first frequency domain representation of a media program subset using a plurality of filters to develop a second frequency domain representation of each of said subsets of said media program having a reduced number of frequency coefficients with in said second frequency domain representation with respect to said first frequency domain representation for each of at least two media program subsets (see col. 16, lines 47, fig. 7, element 750, describing a critical band filtering step which can be modeled as a filter bank, thus indicating that a plurality of filters exist).

However, Weare et al., do not specifically teach means for filtering, wherein said plurality of filters have center frequencies logarithmically spaced apart from each other with a logarithmic additive factor of  $1/12$ ; means for grouping ones of said coefficients of said second representation to form segments; means for searching a database for substantially matching segments, said database having stored therein segments of media programs and respective corresponding program identifiers; and means for determining whether said subsequent media program subset exhibits similarities to said initial media program subset.

McEachern teaches this  $1/12$  octave filter center frequency spacing results in logarithmically spaced filters that are very closely centered at the frequencies of the linearly spaces harmonics (col.12, line 66 – col.13, line 2).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use logarithm filters as taught by McEachern in Weare et al., because that would help extract the information content of audio signals (col.1, lines 10 – 14).

However, Weare et al., in view of McEachern do not specifically means for grouping ones of said coefficients of said second representation to form segments; means for searching a database for substantially matching segments, said database having stored therein segments of media programs and respective corresponding program identifiers; and means for determining whether said subsequent media program subset exhibits similarities to said initial media program subset.

Logan et al., teach that the feature vectors corresponding to **the sequence of frames are organized into segments**. For example, contiguous sequences of feature vectors may be combined into corresponding segments that are each of 1 second duration. Assuming the frames are 25 ms long and overlap each other by 12.5 ms, as described above, there will be approximately 80 feature vectors per segment. Obviously, **segments of sizes other than 1 second may be utilized**. By identifying those segments of the audio input that share similar cepstral features, the system has been able to automatically decipher the song's structure (col.5, lines 4 – 35, col.6, lines 53 – 56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to group sequence of frames in segments as taught by

Logan et al., in Weare et al., in view of McEachern, because that would help identify specific songs (col.2, line 5).

Regarding claim 36, Weare et al., in view of Logan et al., further disclose that said first frequency domain representation of said media program comprises a plurality of blocks of coefficients corresponding to respective time domain sections of said media program and said second frequency domain representation of said media program comprises a plurality of blocks of coefficients corresponding to respective time domain sections of said media program (Logan et al; col.5, lines 5 – 35; Weare et al., col.16, lines 33 – 36).

As per claims 41 – 45, Weare et al., further disclose at least two of said media subsets are associated with the same media program; at least two of said media subsets are associated with different media program ("media entities that are audio files or have portions that are audio files"; Abstract).

### ***Conclusion***

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2626

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEONARD SAINT CYR whose telephone number is (571) 272-4247. The examiner can normally be reached on Mon- Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on (571) 272-7602. The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or (571) 272-1000.

LS  
08/19/09

Application/Control Number: 10/629,486  
Art Unit: 2626

Page 21

/Richemond Dorvil/  
Supervisory Patent Examiner, Art Unit 2626